ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:	DRAWING:	DRAWING NUMBER: 100	DRAWN SCALE: NTS	ROOFLOGIC.CO.NZ
ULTRATHERM XTREME (SINGLE PLY MEMBRANE)	TYPICAL ROOF – PIR CF			

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
TYPICAL ROOF

DRAWING NUMBER: 100B

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:	DRAWING:	DRAWING NUMBER: 102	DRAWN SCALE: NTS	ROOFLOGIC.CO.NZ
ULTRATHERM XTREME (SINGLE PLY MEMBRANE)	TYPICAL ROOF – STONE WOOL			

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
TYPICAL ROOF – PLYWOOD SUBSTRATE

DRAWING NUMBER: 103

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
TYPICAL ROOF – CONCRETE SUBSTRATE

DRAWING NUMBER: 104

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
TYPICAL ROOF – ACOUSTIC BOARD

DRAWING NUMBER: 106

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
TYPICAL ROOF CROSS SECTION

DRAWING NUMBER: 201

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
TAPERED PIR BOARD CROSS SECTION

DRAWING NUMBER: 202

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
TAPERED PIR BOARD CROSS SECTION –
CONCRETE SUBSTRATE

DRAWING NUMBER: 203

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:	DRAWING:	DRAWING NUMBER: 204	DRAWN SCALE: NTS	ROOFLOGIC.CO.NZ
ULTRATHERM XTREME (SINGLE PLY MEMBRANE)	TYPICAL ROOF STEP			

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:	DRAWING:	DRAWING NUMBER: 300A	DRAWN SCALE: NTS	ROOFLOGIC.CO.NZ
ULTRATHERM XTREME (SINGLE PLY MEMBRANE)	EXTERNAL GUTTER – RL WARM WALL			

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
EXTERNAL GUTTER – COLD WALL

DRAWING NUMBER: 300B

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME (SINGLE PLY MEMBRANE)

DRAWING:
EXTERNAL GUTTER LAMINATED FLASHING

DRAWING NUMBER: 301

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
EXTERNAL GUTTER (HI-FLOW OUTLET)

DRAWING NUMBER: 302A

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:	DRAWING:	DRAWING NUMBER: 303	DRAWN SCALE: NTS	ROOFLOGIC.CO.NZ
ULTRATHERM XTREME (SINGLE PLY MEMBRANE)	ROOF/GUTTER/PARAPET JUNCTION			

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
TYPICAL SCUPPER FLASHING

DRAWING NUMBER: 304

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:	DRAWING:	DRAWING NUMBER: 305	DRAWN SCALE: NTS	ROOFLOGIC.CO.NZ
ULTRATHERM XTREME (SINGLE PLY MEMBRANE)	OVERFLOW SCUPPER FLASHING			

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:	DRAWING:	DRAWING NUMBER: 306	DRAWN SCALE: NTS	ROOFLOGIC.CO.NZ
ULTRATHERM XTREME (SINGLE PLY MEMBRANE)	MEMBRANE UPSTAND TERMINATION			

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
MEMBRANE UPSTAND WITH HORIZONTAL PENETRATION

DRAWING NUMBER: 307

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
MEMBRANE UPSTAND WITH HORIZONTAL PENETRATION – OPTION

DRAWING NUMBER: 308

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
PLINTH 50KG PER 100X100MM MAX.
LOADING

DRAWING NUMBER: 400

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
TIMBER PLINTH

DRAWING NUMBER: 401

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
PIPE PLINTH

DRAWING NUMBER: 402

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
PIPE PENETRATION

DRAWING NUMBER: 403

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:	DRAWING:	DRAWING NUMBER: 404	DRAWN SCALE: NTS	ROOFLOGIC.CO.NZ
ULTRATHERM XTREME (SINGLE PLY MEMBRANE)	PENETRATION – STRUCTURAL CONNECTION			

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
BOX PENETRATION

DRAWING NUMBER: 405

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
BOX PENETRATION CROSS SECTION

DRAWING NUMBER: 406

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
VERTICAL ROOF PENETRATION –
UMBRELLA DETAIL

DRAWING NUMBER: 407

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
VERTICAL ROOF PENETRATION –
UMBRELLA DETAIL WITH INSULATION

DRAWING NUMBER: 408

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
CONCRETE PLINTH

DRAWING NUMBER: 409

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
ROOF TO CLADDING JUNCTION

DRAWING NUMBER: 500

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:	DRAWING:	DRAWING NUMBER: 501	DRAWN SCALE: NTS	ROOFLOGIC.CO.NZ
ULTRATHERM XTREME (SINGLE PLY MEMBRANE)	EXPOSED VERTICAL TERMINATION			

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
TYPICAL VERGE

DRAWING NUMBER: 502

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.

ROOFLOGIC
INTELLIGENT ROOFING SOLUTIONS

ROOFLOGIC SYSTEM:
ULTRATHERM XTREME
(SINGLE PLY MEMBRANE)

DRAWING:
RL SMART BAR – TYPICAL

DRAWING NUMBER: 600

DRAWN SCALE: NTS

ROOFLOGIC.CO.NZ

This drawing is the copyright of Rooflogic. Modification of details for job specification requirements must be approved by Rooflogic. The building designer is ultimately responsible to ensure all building work is designed and constructed according to Building Code requirements, NZ standards and best code of practice industry guidelines. All components must be supplied by Rooflogic. Rooflogic reserves the right to alter or upgrade details at any time without prior notice.